

[First Hit](#)[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)

Generate Collection

☐ Print

L6: Entry 34 of 37

File: DWPT

Jul 7, 2001

DERWENT-ACC-NO: 2002-008864

DERWENT-WEEK: 200305

COPYRIGHT 2007 DERWENT INFORMATION LTD

TITLE: Method for preparing acanthopanax koreanum granule teaINVENTOR HYUN, S W; JOA, C S ; KIM, B C ; KIM, C S ; KIM, G H ; KIM, S H ; KIM, Y H ; YANG, Y T

PATENT-ASSIGNEE: CHEJU PROVINCIAL AGRICUTURAL TECHNOLOGY (CHEJN)

PRIORITY-DATA: 1999KR-0063290 (December 28, 1999)

Search Selected

Search ALL

Clear

## PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<input type="checkbox"/> <u>KR 2001060837 A</u>	<u>July 7, 2001</u>		001	A23F003/00

## APPLICATION-DATA:

PUB-NO	APPL-DATE	APPL-NO	DESCRIPTOR
KR2001060837A	December 28, 1999	1999KR-0063290	

INT-CL (IPC): A23F 3/00

ABSTRACTED-PUB-NO: KR2001060837A  
BASIC-ABSTRACT:

NOVELTY - An Acanthopanax koreanum granule tea, which keeps the medicine effects and preference of Acanthopanax koreanum as it is, is provided through a method to improve the functions of the tea, increase the using rate of raw materials, and reduce the concentrating time.

DETAILED DESCRIPTION - A method for preparing an Acanthopanax koreanum granule tea comprises: (i) a first step to dry and pulverize Acanthopanax koreanum 90-97wt.%, and licorice or stevia 3-10wt.%; (ii) a second step to extract the pre-treated materials with 30-80% ethylalcohol, extract again residual substances with 30-80% ethylalcohol, extract thirdly with an extractant and filter; (iii) a third step to concentrate for solid content to reach 40-60%; and (iv) a fourth step to combine the concentrated extract 10-20wt.%, diluent 80-90wt.%, and additive 1-5wt.% to form granules, and dry.

ABSTRACTED-PUB-NO: KR2001060837A  
EQUIVALENT-ABSTRACTS:

CHOSEN-DRAWING: Dwg.1/10

DERWENT-CLASS: D13  
CPI-CODES: D03-D02;

[Previous Doc](#)

[Next Doc](#)

[Go to Doc#](#)